

**TUBI SENZA SALDATURA IN ACCIAIO AL CARBONIO PER USI ORDINARI
ASTM A 53**

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-------|-----------------------|---------------|--------------|--|-------------|
| 1/8 | 10,300 | 1,240 | 0,280 | | 10 |
| 1/8 | 10,300 | 1,450 | 0,320 | | 30 |
| 1/8 | 10,300 | 1,730 | 0,370 | STD | 40 |
| 1/8 | 10,300 | 2,410 | 0,470 | XS | 80 |
| 1/4 | 13,700 | 1,650 | 0,490 | | 10 |
| 1/4 | 13,700 | 1,850 | 0,540 | | 30 |
| 1/4 | 13,700 | 2,240 | 0,630 | STD | 40 |
| 1/4 | 13,700 | 3,020 | 0,800 | XS | 80 |
| 3/8 | 17,100 | 1,650 | 0,630 | | 10 |
| 3/8 | 17,100 | 1,850 | 0,700 | | 30 |
| 3/8 | 17,100 | 2,310 | 0,840 | | 40 |
| 3/8 | 17,100 | 3,200 | 1,100 | XS | 80 |
| 1/2 | 21,300 | 1,650 | 0,800 | | 5 |
| 1/2 | 21,300 | 2,110 | 1,000 | | 10 |
| 1/2 | 21,300 | 2,410 | 1,120 | | 30 |
| 1/2 | 21,300 | 2,770 | 1,270 | STD | 40 |
| 1/2 | 21,300 | 3,730 | 1,620 | XS | 80 |
| 1/2 | 21,300 | 4,780 | 1,950 | | 160 |
| 1/2 | 21,300 | 7,470 | 2,550 | XXS | |
| 3/4 | 26,700 | 1,650 | 1,030 | | 5 |
| 3/4 | 26,700 | 2,110 | 1,280 | | 10 |
| 3/4 | 26,700 | 2,410 | 1,440 | | 30 |
| 3/4 | 26,700 | 2,870 | 1,690 | STD | 40 |
| 3/4 | 26,700 | 3,910 | 2,200 | XS | 80 |
| 3/4 | 26,700 | 5,560 | 2,900 | | 160 |
| 3/4 | 26,700 | 7,820 | 3,640 | XXS | |
| 1 | 33,400 | 1,650 | 1,290 | | 5 |
| 1 | 33,400 | 2,770 | 2,090 | | 10 |
| 1 | 33,400 | 2,900 | 2,180 | | 30 |
| 1 | 33,400 | 3,380 | 2,500 | STD | 40 |
| 1 | 33,400 | 4,550 | 3,240 | XS | 80 |
| 1 | 33,400 | 6,350 | 4,240 | | 160 |
| 1 | 33,400 | 9,090 | 5,450 | XXS | |
| 1.1/4 | 42,200 | 1,650 | 1,650 | | 5 |
| 1.1/4 | 42,200 | 2,770 | 2,690 | | 10 |
| 1.1/4 | 42,200 | 2,970 | 2,870 | | 30 |
| 1.1/4 | 42,200 | 3,560 | 3,390 | STD | 40 |
| 1.1/4 | 42,200 | 4,850 | 4,470 | XS | 80 |
| 1.1/4 | 42,200 | 6,350 | 5,610 | | 160 |
| 1.1/4 | 42,200 | 9,700 | 7,770 | XXS | |
| 1.1/2 | 48,300 | 1,650 | 1,900 | | 5 |
| 1.1/2 | 48,300 | 2,770 | 3,110 | | 10 |
| 1.1/2 | 48,300 | 3,180 | 3,530 | | 30 |
| 1.1/2 | 48,300 | 3,680 | 4,050 | STD | 40 |
| 1.1/2 | 48,300 | 5,080 | 5,410 | XS | 80 |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-------|-----------------------|---------------|--------------|--|-------------|
| 1.1/2 | 48,300 | 7,140 | 7,250 | | 160 |
| 1.1/2 | 48,300 | 10,150 | 9,550 | XXS | |
| 2 | 60,300 | 1,650 | 2,390 | | 5 |
| 2 | 60,300 | 2,110 | 3,030 | | |
| 2 | 60,300 | 2,770 | 3,930 | | 10 |
| 2 | 60,300 | 3,180 | 4,480 | | 30 |
| 2 | 60,300 | 3,580 | 5,010 | | |
| 2 | 60,300 | 3,910 | 5,440 | STD | 40 |
| 2 | 60,300 | 4,370 | 6,030 | | |
| 2 | 60,300 | 4,780 | 6,540 | | |
| 2 | 60,300 | 5,540 | 7,480 | XS | 80 |
| 2 | 60,300 | 6,350 | 8,450 | | |
| 2 | 60,300 | 7,140 | 9,360 | | |
| 2 | 60,300 | 8,740 | 11,110 | | 160 |
| 2 | 60,300 | 11,070 | 13,440 | XXS | |
| 2.1/2 | 73,000 | 2,110 | 3,690 | | 5 |
| 2.1/2 | 73,000 | 2,770 | 4,800 | | |
| 2.1/2 | 73,000 | 3,050 | 5,260 | | 10 |
| 2.1/2 | 73,000 | 3,180 | 5,480 | | |
| 2.1/2 | 73,000 | 3,580 | 6,130 | | |
| 2.1/2 | 73,000 | 3,960 | 6,740 | | |
| 2.1/2 | 73,000 | 4,370 | 7,400 | | |
| 2.1/2 | 73,000 | 4,780 | 8,040 | | 30 |
| 2.1/2 | 73,000 | 5,160 | 8,630 | STD | 40 |
| 2.1/2 | 73,000 | 5,490 | 9,140 | | |
| 2.1/2 | 73,000 | 6,350 | 10,440 | | |
| 2.1/2 | 73,000 | 7,010 | 11,410 | XS | 80 |
| 2.1/2 | 73,000 | 9,530 | 14,920 | | 160 |
| 2.1/2 | 73,000 | 14,020 | 20,390 | XXS | |
| 3 | 88,900 | 2,110 | 4,520 | | 5 |
| 3 | 88,900 | 2,770 | 5,880 | | |
| 3 | 88,900 | 3,050 | 6,460 | | 10 |
| 3 | 88,900 | 3,180 | 6,720 | | |
| 3 | 88,900 | 3,580 | 7,530 | | |
| 3 | 88,900 | 3,960 | 8,300 | | |
| 3 | 88,900 | 4,370 | 9,110 | | |
| 3 | 88,900 | 4,780 | 9,920 | | 30 |
| 3 | 88,900 | 5,490 | 11,290 | STD | 40 |
| 3 | 88,900 | 6,350 | 12,930 | | |
| 3 | 88,900 | 7,140 | 14,400 | | |
| 3 | 88,900 | 7,620 | 15,270 | XS | 80 |
| 3 | 88,900 | 11,130 | 21,350 | | 160 |
| 3 | 88,900 | 15,240 | 27,680 | XXS | |
| 3.1/2 | 101,600 | 2,110 | 5,180 | | 5 |
| 3.1/2 | 101,600 | 2,770 | 6,750 | | |
| 3.1/2 | 101,600 | 3,050 | 7,410 | | 10 |
| 3.1/2 | 101,600 | 3,180 | 7,720 | | |
| 3.1/2 | 101,600 | 3,580 | 8,650 | | |
| 3.1/2 | 101,600 | 3,960 | 9,540 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-------|-----------------------|---------------|--------------|--|-------------|
| 3.1/2 | 101,600 | 4,370 | 10,480 | | |
| 3.1/2 | 101,600 | 4,780 | 11,410 | | 30 |
| 3.1/2 | 101,600 | 5,740 | 13,570 | STD | 40 |
| 3.1/2 | 101,600 | 6,350 | 14,920 | | |
| 3.1/2 | 101,600 | 7,140 | 16,630 | XS | |
| 3.1/2 | 101,600 | 8,080 | 18,640 | | 80 |
| 4 | 114,300 | 2,110 | 5,840 | | 5 |
| 4 | 114,300 | 2,770 | 7,620 | | |
| 4 | 114,300 | 3,050 | 8,370 | | 10 |
| 4 | 114,300 | 3,180 | 8,710 | | |
| 4 | 114,300 | 3,580 | 9,780 | | |
| 4 | 114,300 | 3,960 | 10,780 | | |
| 4 | 114,300 | 4,370 | 11,850 | | |
| 4 | 114,300 | 4,780 | 12,910 | | 30 |
| 4 | 114,300 | 5,160 | 13,890 | | |
| 4 | 114,300 | 5,560 | 14,910 | | |
| 4 | 114,300 | 6,020 | 16,080 | STD | 40 |
| 4 | 114,300 | 6,350 | 16,910 | | |
| 4 | 114,300 | 7,140 | 18,870 | | |
| 4 | 114,300 | 7,920 | 20,780 | | |
| 4 | 114,300 | 8,560 | 22,320 | XS | 80 |
| 4 | 114,300 | 11,130 | 28,320 | | 120 |
| 4 | 114,300 | 13,490 | 33,540 | | 160 |
| 4 | 114,300 | 17,120 | 41,030 | XXS | |
| 5 | 141,300 | 2,110 | 7,240 | | |
| 5 | 141,300 | 2,770 | 9,460 | | 5 |
| 5 | 141,300 | 3,180 | 10,830 | | |
| 5 | 141,300 | 3,400 | 11,560 | | 10 |
| 5 | 141,300 | 3,960 | 13,410 | | |
| 5 | 141,300 | 4,780 | 16,090 | | |
| 5 | 141,300 | 5,560 | 18,610 | | |
| 5 | 141,300 | 6,550 | 21,770 | STD | 40 |
| 5 | 141,300 | 7,140 | 23,620 | | |
| 5 | 141,300 | 7,920 | 26,050 | | |
| 5 | 141,300 | 8,740 | 28,570 | | |
| 5 | 141,300 | 9,530 | 30,970 | XS | 80 |
| 5 | 141,300 | 12,700 | 40,280 | | 120 |
| 5 | 141,300 | 15,880 | 49,120 | | 160 |
| 5 | 141,300 | 19,050 | 57,430 | XXS | |
| 6 | 168,300 | 2,110 | 8,650 | | |
| 6 | 168,300 | 2,770 | 11,310 | | 5 |
| 6 | 168,300 | 3,180 | 12,950 | | |
| 6 | 168,300 | 3,400 | 13,830 | | 10 |
| 6 | 168,300 | 3,580 | 14,540 | | |
| 6 | 168,300 | 3,960 | 16,050 | | |
| 6 | 168,300 | 4,370 | 17,670 | | |
| 6 | 168,300 | 4,780 | 19,280 | | |
| 6 | 168,300 | 5,160 | 20,760 | | |
| 6 | 168,300 | 5,560 | 22,310 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 6 | 168,300 | 6,350 | 25,360 | | |
| 6 | 168,300 | 7,110 | 28,260 | STD | 40 |
| 6 | 168,300 | 7,920 | 31,330 | | |
| 6 | 168,300 | 8,740 | 34,390 | | |
| 6 | 168,300 | 9,530 | 37,310 | | |
| 6 | 168,300 | 10,970 | 42,560 | XS | 80 |
| 6 | 168,300 | 12,700 | 48,730 | | |
| 6 | 168,300 | 14,270 | 54,210 | | 120 |
| 6 | 168,300 | 15,880 | 59,690 | | |
| 6 | 168,300 | 18,260 | 67,570 | | 160 |
| 6 | 168,300 | 19,050 | 70,120 | | |
| 6 | 168,300 | 21,950 | 79,220 | XXS | |
| 6 | 168,300 | 22,230 | 80,080 | | |
| 8 | 219,100 | 2,770 | 14,780 | | 5 |
| 8 | 219,100 | 3,180 | 16,930 | | |
| 8 | 219,100 | 3,760 | 19,970 | | 10 |
| 8 | 219,100 | 3,960 | 21,010 | | |
| 8 | 219,100 | 4,780 | 25,260 | | |
| 8 | 219,100 | 5,160 | 27,220 | | |
| 8 | 219,100 | 5,560 | 29,280 | | |
| 8 | 219,100 | 6,350 | 33,320 | | 20 |
| 8 | 219,100 | 7,040 | 36,820 | | 30 |
| 8 | 219,100 | 7,920 | 41,250 | | |
| 8 | 219,100 | 8,180 | 42,550 | STD | 40 |
| 8 | 219,100 | 8,740 | 45,340 | | |
| 8 | 219,100 | 9,530 | 49,250 | | |
| 8 | 219,100 | 10,310 | 53,090 | | 60 |
| 8 | 219,100 | 11,130 | 57,080 | | |
| 8 | 219,100 | 12,700 | 64,640 | XS | 80 |
| 8 | 219,100 | 14,270 | 72,080 | | |
| 8 | 219,100 | 15,090 | 75,920 | | 100 |
| 8 | 219,100 | 15,880 | 79,590 | | |
| 8 | 219,100 | 18,260 | 90,440 | | 120 |
| 8 | 219,100 | 19,050 | 93,980 | | |
| 8 | 219,100 | 20,620 | 100,930 | | 140 |
| 8 | 219,100 | 22,230 | 107,930 | XXS | |
| 8 | 219,100 | 23,010 | 111,270 | | 160 |
| 8 | 219,100 | 25,400 | 121,330 | | |
| 10 | 273,000 | 3,400 | 22,610 | | 5 |
| 10 | 273,000 | 3,960 | 26,270 | | |
| 10 | 273,000 | 4,190 | 27,780 | | 10 |
| 10 | 273,000 | 4,780 | 31,620 | | |
| 10 | 273,000 | 5,160 | 34,080 | | |
| 10 | 273,000 | 5,560 | 36,670 | | |
| 10 | 273,000 | 6,350 | 41,760 | | 20 |
| 10 | 273,000 | 7,090 | 46,490 | | |
| 10 | 273,000 | 7,800 | 51,010 | | 30 |
| 10 | 273,000 | 8,740 | 56,960 | | |
| 10 | 273,000 | 9,270 | 60,290 | STD | 40 |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 10 | 273,000 | 11,130 | 71,880 | | |
| 10 | 273,000 | 12,700 | 81,530 | XS | 60 |
| 10 | 273,000 | 14,270 | 91,050 | | |
| 10 | 273,000 | 15,090 | 95,980 | | 80 |
| 10 | 273,000 | 15,880 | 100,690 | | |
| 10 | 273,000 | 18,260 | 114,710 | | 100 |
| 10 | 273,000 | 20,620 | 128,340 | | |
| 10 | 273,000 | 21,440 | 133,010 | | 120 |
| 10 | 273,000 | 22,230 | 137,480 | | |
| 10 | 273,000 | 23,830 | 146,430 | | |
| 10 | 273,000 | 25,400 | 155,100 | XXS | 140 |
| 10 | 273,000 | 28,580 | 172,270 | | 160 |
| 10 | 273,000 | 31,750 | 188,900 | | |
| 12 | 323,800 | 3,960 | 31,240 | | 5 |
| 12 | 323,800 | 4,370 | 34,430 | | |
| 12 | 323,800 | 4,570 | 35,980 | | 10 |
| 12 | 323,800 | 4,780 | 37,610 | | |
| 12 | 323,800 | 5,160 | 40,550 | | |
| 12 | 323,800 | 5,560 | 43,640 | | |
| 12 | 323,800 | 6,350 | 49,710 | | 20 |
| 12 | 323,800 | 7,140 | 55,760 | | |
| 12 | 323,800 | 7,920 | 61,700 | | |
| 12 | 323,800 | 8,380 | 65,190 | | 30 |
| 12 | 323,800 | 8,740 | 67,910 | | |
| 12 | 323,800 | 9,530 | 73,860 | STD | |
| 12 | 323,800 | 10,310 | 79,710 | | 40 |
| 12 | 323,800 | 11,130 | 85,820 | | |
| 12 | 323,800 | 12,700 | 97,440 | XS | |
| 12 | 323,800 | 14,270 | 108,930 | | 60 |
| 12 | 323,800 | 15,880 | 120,590 | | |
| 12 | 323,800 | 17,480 | 132,050 | | 80 |
| 12 | 323,800 | 19,050 | 143,170 | | |
| 12 | 323,800 | 20,620 | 154,170 | | |
| 12 | 323,800 | 21,440 | 159,870 | | 100 |
| 12 | 323,800 | 22,230 | 165,330 | | |
| 12 | 323,800 | 23,830 | 176,290 | | |
| 12 | 323,800 | 25,400 | 186,920 | XXS | 120 |
| 12 | 323,800 | 26,970 | 197,430 | | |
| 12 | 323,800 | 28,580 | 208,080 | | 140 |
| 12 | 323,800 | 31,750 | 228,680 | | |
| 12 | 323,800 | 33,320 | 238,690 | | 160 |
| 14 | 355,600 | 3,960 | 34,340 | | 5 |
| 14 | 355,600 | 4,780 | 41,360 | | |
| 14 | 355,600 | 5,160 | 44,590 | | |
| 14 | 355,600 | 5,330 | 46,040 | | |
| 14 | 355,600 | 5,560 | 48,000 | | |
| 14 | 355,600 | 6,350 | 54,690 | | 10 |
| 14 | 355,600 | 7,140 | 61,360 | | |
| 14 | 355,600 | 7,920 | 67,910 | | 20 |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 14 | 355,600 | 8,740 | 74,760 | | |
| 14 | 355,600 | 9,530 | 81,330 | STD | 30 |
| 14 | 355,600 | 10,310 | 87,790 | | |
| 14 | 355,600 | 11,130 | 94,550 | | 40 |
| 14 | 355,600 | 11,910 | 100,950 | | |
| 14 | 355,600 | 12,700 | 107,400 | XS | |
| 14 | 355,600 | 14,270 | 120,120 | | |
| 14 | 355,600 | 15,090 | 126,720 | | 60 |
| 14 | 355,600 | 15,880 | 133,040 | | |
| 14 | 355,600 | 17,480 | 145,760 | | |
| 14 | 355,600 | 19,050 | 158,110 | | 80 |
| 14 | 355,600 | 20,620 | 170,340 | | |
| 14 | 355,600 | 22,230 | 182,760 | | |
| 14 | 355,600 | 23,830 | 194,980 | | 100 |
| 14 | 355,600 | 25,400 | 206,840 | | |
| 14 | 355,600 | 26,970 | 218,580 | | |
| 14 | 355,600 | 27,790 | 224,660 | | 120 |
| 14 | 355,600 | 28,580 | 230,490 | | |
| 14 | 355,600 | 31,750 | 253,580 | | 140 |
| 14 | 355,600 | 35,710 | 281,720 | | 160 |
| 14 | 355,600 | 50,800 | 381,850 | | |
| 14 | 355,600 | 53,980 | 401,520 | | |
| 14 | 355,600 | 55,880 | 413,040 | | |
| 14 | 355,600 | 63,500 | 457,430 | | |
| 16 | 406,400 | 4,190 | 41,560 | | 5 |
| 16 | 406,400 | 4,780 | 47,340 | | |
| 16 | 406,400 | 5,160 | 51,060 | | |
| 16 | 406,400 | 5,560 | 54,960 | | |
| 16 | 406,400 | 6,350 | 62,650 | | 10 |
| 16 | 406,400 | 7,140 | 70,300 | | |
| 16 | 406,400 | 7,920 | 77,830 | | 20 |
| 16 | 406,400 | 8,740 | 85,710 | | |
| 16 | 406,400 | 9,530 | 93,270 | STD | 30 |
| 16 | 406,400 | 10,310 | 100,710 | | |
| 16 | 406,400 | 11,130 | 108,490 | | |
| 16 | 406,400 | 11,910 | 115,870 | | |
| 16 | 406,400 | 12,700 | 123,310 | XS | 40 |
| 16 | 406,400 | 14,270 | 138,000 | | |
| 16 | 406,400 | 15,880 | 152,940 | | |
| 16 | 406,400 | 16,660 | 160,130 | | 60 |
| 16 | 406,400 | 17,480 | 167,660 | | |
| 16 | 406,400 | 19,050 | 181,980 | | |
| 16 | 406,400 | 20,620 | 196,180 | | |
| 16 | 406,400 | 21,440 | 203,540 | | 80 |
| 16 | 406,400 | 22,230 | 210,610 | | |
| 16 | 406,400 | 23,830 | 224,830 | | |
| 16 | 406,400 | 25,400 | 238,660 | | |
| 16 | 406,400 | 26,190 | 245,570 | | 100 |
| 16 | 406,400 | 26,970 | 252,370 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 16 | 406,400 | 28,580 | 266,300 | | |
| 16 | 406,400 | 30,180 | 280,010 | | |
| 16 | 406,400 | 30,960 | 286,660 | | 120 |
| 16 | 406,400 | 31,750 | 293,350 | | |
| 16 | 406,400 | 36,530 | 333,210 | | 140 |
| 16 | 406,400 | 40,490 | 365,380 | | 160 |
| 18 | 457,000 | 4,190 | 46,790 | | 5 |
| 18 | 457,000 | 4,780 | 53,310 | | |
| 18 | 457,000 | 5,560 | 61,900 | | |
| 18 | 457,000 | 6,350 | 70,570 | | 10 |
| 18 | 457,000 | 7,140 | 79,210 | | |
| 18 | 457,000 | 7,920 | 87,710 | | 20 |
| 18 | 457,000 | 8,740 | 96,620 | | |
| 18 | 457,000 | 9,530 | 105,170 | STD | |
| 18 | 457,000 | 10,310 | 113,580 | | |
| 18 | 457,000 | 11,130 | 122,380 | | 30 |
| 18 | 457,000 | 11,910 | 130,730 | | |
| 18 | 457,000 | 12,700 | 139,160 | XS | |
| 18 | 457,000 | 14,270 | 155,810 | | 40 |
| 18 | 457,000 | 15,880 | 172,750 | | |
| 18 | 457,000 | 17,480 | 189,470 | | |
| 18 | 457,000 | 19,050 | 205,750 | | 60 |
| 18 | 457,000 | 20,620 | 221,910 | | |
| 18 | 457,000 | 22,230 | 238,350 | | |
| 18 | 457,000 | 23,830 | 254,570 | | 80 |
| 18 | 457,000 | 25,400 | 270,360 | | |
| 18 | 457,000 | 26,970 | 286,020 | | |
| 18 | 457,000 | 28,580 | 301,960 | | |
| 18 | 457,000 | 29,360 | 309,640 | | 100 |
| 18 | 457,000 | 30,180 | 317,680 | | |
| 18 | 457,000 | 31,750 | 332,970 | | |
| 18 | 457,000 | 34,930 | 363,580 | | 120 |
| 18 | 457,000 | 39,670 | 408,280 | | 140 |
| 18 | 457,000 | 45,240 | 459,390 | | 160 |
| 20 | 508,000 | 4,780 | 59,320 | | 5 |
| 20 | 508,000 | 5,560 | 68,890 | | |
| 20 | 508,000 | 6,350 | 78,560 | | 10 |
| 20 | 508,000 | 7,140 | 88,190 | | |
| 20 | 508,000 | 7,920 | 97,680 | | |
| 20 | 508,000 | 8,740 | 107,610 | | |
| 20 | 508,000 | 9,530 | 117,150 | STD | 20 |
| 20 | 508,000 | 10,310 | 126,540 | | |
| 20 | 508,000 | 11,130 | 136,380 | | |
| 20 | 508,000 | 11,910 | 145,710 | | |
| 20 | 508,000 | 12,700 | 155,130 | XS | 30 |
| 20 | 508,000 | 14,270 | 173,750 | | |
| 20 | 508,000 | 15,090 | 183,430 | | 40 |
| 20 | 508,000 | 15,880 | 192,730 | | |
| 20 | 508,000 | 17,480 | 211,450 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 20 | 508,000 | 19,050 | 229,710 | | |
| 20 | 508,000 | 20,620 | 247,840 | | 60 |
| 20 | 508,000 | 22,230 | 266,310 | | |
| 20 | 508,000 | 23,830 | 284,540 | | |
| 20 | 508,000 | 25,400 | 302,300 | | |
| 20 | 508,000 | 26,190 | 311,190 | | 80 |
| 20 | 508,000 | 26,970 | 319,940 | | |
| 20 | 508,000 | 28,580 | 337,910 | | |
| 20 | 508,000 | 30,180 | 355,630 | | |
| 20 | 508,000 | 31,750 | 372,910 | | |
| 20 | 508,000 | 32,540 | 381,550 | | 100 |
| 20 | 508,000 | 33,320 | 390,050 | | |
| 20 | 508,000 | 34,930 | 407,510 | | |
| 20 | 508,000 | 38,100 | 441,520 | | 120 |
| 20 | 508,000 | 44,450 | 508,150 | | 140 |
| 20 | 508,000 | 50,010 | 564,850 | | 160 |
| 22 | 559,000 | 4,780 | 65,330 | | 5 |
| 22 | 559,000 | 5,560 | 75,890 | | |
| 22 | 559,000 | 6,350 | 86,550 | | 10 |
| 22 | 559,000 | 7,140 | 97,170 | | |
| 22 | 559,000 | 7,920 | 107,640 | | |
| 22 | 559,000 | 8,740 | 118,600 | | |
| 22 | 559,000 | 9,530 | 129,140 | STD | 20 |
| 22 | 559,000 | 10,310 | 139,510 | | |
| 22 | 559,000 | 11,130 | 150,380 | | |
| 22 | 559,000 | 11,910 | 160,690 | | |
| 22 | 559,000 | 12,700 | 171,100 | XS | 30 |
| 22 | 559,000 | 14,270 | 191,700 | | |
| 22 | 559,000 | 15,880 | 212,700 | | |
| 22 | 559,000 | 17,480 | 233,440 | | |
| 22 | 559,000 | 19,050 | 253,670 | | |
| 22 | 559,000 | 20,620 | 273,780 | | |
| 22 | 559,000 | 22,230 | 294,270 | | 60 |
| 22 | 559,000 | 23,830 | 314,510 | | |
| 22 | 559,000 | 25,400 | 334,250 | | |
| 22 | 559,000 | 26,970 | 353,860 | | |
| 22 | 559,000 | 28,580 | 373,850 | | 80 |
| 22 | 559,000 | 30,180 | 393,590 | | |
| 22 | 559,000 | 31,750 | 412,840 | | |
| 22 | 559,000 | 33,320 | 431,960 | | |
| 22 | 559,000 | 34,930 | 451,450 | | 100 |
| 22 | 559,000 | 36,530 | 470,690 | | |
| 22 | 559,000 | 38,100 | 489,440 | | |
| 22 | 559,000 | 41,280 | 527,050 | | 120 |
| 22 | 559,000 | 47,630 | 600,670 | | 140 |
| 22 | 559,000 | 53,980 | 672,300 | | 160 |
| 24 | 610,000 | 5,540 | 82,580 | | 5 |
| 24 | 610,000 | 6,350 | 94,530 | | 10 |
| 24 | 610,000 | 7,140 | 106,150 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 24 | 610,000 | 7,920 | 117,600 | | |
| 24 | 610,000 | 8,740 | 129,600 | | |
| 24 | 610,000 | 9,530 | 141,120 | STD | 20 |
| 24 | 610,000 | 10,310 | 152,480 | | |
| 24 | 610,000 | 11,130 | 164,380 | | |
| 24 | 610,000 | 11,910 | 175,670 | | |
| 24 | 610,000 | 12,700 | 187,070 | XS | |
| 24 | 610,000 | 14,270 | 209,650 | | 30 |
| 24 | 610,000 | 15,880 | 232,670 | | |
| 24 | 610,000 | 17,480 | 255,430 | | 40 |
| 24 | 610,000 | 19,050 | 277,630 | | |
| 24 | 610,000 | 20,620 | 299,710 | | |
| 24 | 610,000 | 22,230 | 322,230 | | |
| 24 | 610,000 | 23,830 | 344,480 | | |
| 24 | 610,000 | 24,610 | 355,280 | | 60 |
| 24 | 610,000 | 25,400 | 366,190 | | |
| 24 | 610,000 | 26,970 | 387,790 | | |
| 24 | 610,000 | 28,580 | 409,800 | | |
| 24 | 610,000 | 30,180 | 431,550 | | |
| 24 | 610,000 | 30,960 | 442,110 | | 80 |
| 24 | 610,000 | 31,750 | 452,770 | | |
| 24 | 610,000 | 33,320 | 473,870 | | |
| 24 | 610,000 | 34,930 | 495,380 | | |
| 24 | 610,000 | 36,530 | 516,630 | | |
| 24 | 610,000 | 38,100 | 537,360 | | |
| 24 | 610,000 | 38,890 | 547,740 | | 100 |
| 24 | 610,000 | 39,670 | 557,970 | | |
| 24 | 610,000 | 46,020 | 640,070 | | 120 |
| 24 | 610,000 | 52,370 | 720,190 | | 140 |
| 24 | 610,000 | 59,540 | 808,270 | | 160 |
| 26 | 660,000 | 6,350 | 102,360 | | |
| 26 | 660,000 | 7,140 | 114,960 | | |
| 26 | 660,000 | 7,920 | 127,360 | | 10 |
| 26 | 660,000 | 8,740 | 140,370 | | |
| 26 | 660,000 | 9,530 | 152,880 | STD | |
| 26 | 660,000 | 10,310 | 165,190 | | |
| 26 | 660,000 | 11,130 | 178,100 | | |
| 26 | 660,000 | 11,910 | 190,360 | | |
| 26 | 660,000 | 12,700 | 202,740 | XS | 20 |
| 26 | 660,000 | 14,270 | 227,250 | | |
| 26 | 660,000 | 15,880 | 252,250 | | |
| 26 | 660,000 | 17,480 | 276,980 | | |
| 26 | 660,000 | 19,050 | 301,120 | | |
| 26 | 660,000 | 20,620 | 325,140 | | |
| 26 | 660,000 | 22,230 | 349,640 | | |
| 26 | 660,000 | 23,830 | 373,870 | | |
| 26 | 660,000 | 25,400 | 397,510 | | |
| 28 | 711,000 | 6,350 | 110,350 | | |
| 28 | 711,000 | 7,140 | 123,940 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 28 | 711,000 | 7,920 | 137,320 | | 10 |
| 28 | 711,000 | 8,740 | 151,370 | | |
| 28 | 711,000 | 9,530 | 164,860 | STD | |
| 28 | 711,000 | 10,310 | 178,160 | | |
| 28 | 711,000 | 11,130 | 192,100 | | |
| 28 | 711,000 | 11,910 | 205,340 | | |
| 28 | 711,000 | 12,700 | 218,710 | XS | 20 |
| 28 | 711,000 | 14,270 | 245,190 | | |
| 28 | 711,000 | 15,880 | 272,230 | | 30 |
| 28 | 711,000 | 17,480 | 298,960 | | |
| 28 | 711,000 | 19,050 | 325,080 | | |
| 28 | 711,000 | 20,620 | 351,070 | | |
| 28 | 711,000 | 22,230 | 377,600 | | |
| 28 | 711,000 | 23,830 | 403,840 | | |
| 28 | 711,000 | 25,400 | 429,460 | | |
| 30 | 762,000 | 6,350 | 118,340 | | 5 |
| 30 | 762,000 | 7,140 | 132,920 | | |
| 30 | 762,000 | 7,920 | 147,290 | | 10 |
| 30 | 762,000 | 8,740 | 162,360 | | |
| 30 | 762,000 | 9,530 | 176,850 | STD | |
| 30 | 762,000 | 10,310 | 191,120 | | |
| 30 | 762,000 | 11,130 | 206,100 | | |
| 30 | 762,000 | 11,910 | 220,320 | | |
| 30 | 762,000 | 12,700 | 234,680 | XS | 20 |
| 30 | 762,000 | 14,270 | 263,140 | | |
| 30 | 762,000 | 15,880 | 292,200 | | 30 |
| 30 | 762,000 | 17,480 | 320,950 | | |
| 30 | 762,000 | 19,050 | 349,040 | | |
| 30 | 762,000 | 20,620 | 377,010 | | |
| 30 | 762,000 | 22,230 | 405,560 | | |
| 30 | 762,000 | 23,830 | 433,810 | | |
| 30 | 762,000 | 25,400 | 461,410 | | |
| 30 | 762,000 | 26,970 | 488,880 | | |
| 30 | 762,000 | 28,580 | 516,930 | | |
| 30 | 762,000 | 30,180 | 544,680 | | |
| 30 | 762,000 | 31,750 | 571,790 | | |
| 32 | 813,000 | 6,350 | 126,320 | | |
| 32 | 813,000 | 7,140 | 141,900 | | |
| 32 | 813,000 | 7,920 | 157,250 | | 10 |
| 32 | 813,000 | 8,740 | 173,350 | | |
| 32 | 813,000 | 9,530 | 188,830 | STD | |
| 32 | 813,000 | 10,310 | 204,090 | | |
| 32 | 813,000 | 11,130 | 220,100 | | |
| 32 | 813,000 | 11,910 | 235,290 | | |
| 32 | 813,000 | 12,700 | 250,650 | XS | 20 |
| 32 | 813,000 | 14,270 | 281,090 | | |
| 32 | 813,000 | 15,880 | 312,170 | | 30 |
| 32 | 813,000 | 17,480 | 342,940 | | 40 |
| 32 | 813,000 | 19,050 | 373,000 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 32 | 813,000 | 20,620 | 402,940 | | |
| 32 | 813,000 | 22,230 | 433,520 | | |
| 32 | 813,000 | 23,830 | 463,780 | | |
| 32 | 813,000 | 25,400 | 493,350 | | |
| 32 | 813,000 | 26,970 | 522,800 | | |
| 32 | 813,000 | 28,580 | 552,880 | | |
| 32 | 813,000 | 30,180 | 582,640 | | |
| 32 | 813,000 | 31,750 | 611,720 | | |
| 34 | 864,000 | 6,350 | 134,310 | | |
| 34 | 864,000 | 7,140 | 150,880 | | |
| 34 | 864,000 | 7,920 | 167,210 | | 10 |
| 34 | 864,000 | 8,740 | 184,340 | | |
| 34 | 864,000 | 9,530 | 200,820 | STD | |
| 34 | 864,000 | 10,310 | 217,060 | | |
| 34 | 864,000 | 11,130 | 234,100 | | |
| 34 | 864,000 | 11,910 | 250,270 | | |
| 34 | 864,000 | 12,700 | 266,630 | XS | 20 |
| 34 | 864,000 | 14,270 | 299,040 | | |
| 34 | 864,000 | 15,880 | 332,140 | | 30 |
| 34 | 864,000 | 17,480 | 364,920 | | 40 |
| 34 | 864,000 | 19,050 | 396,960 | | |
| 34 | 864,000 | 20,620 | 428,880 | | |
| 34 | 864,000 | 22,230 | 461,480 | | |
| 34 | 864,000 | 23,830 | 493,750 | | |
| 34 | 864,000 | 25,400 | 525,300 | | |
| 34 | 864,000 | 26,970 | 556,730 | | |
| 34 | 864,000 | 28,580 | 588,830 | | |
| 34 | 864,000 | 30,180 | 620,600 | | |
| 34 | 864,000 | 31,750 | 651,650 | | |
| 36 | 914,000 | 6,350 | 142,140 | | |
| 36 | 914,000 | 7,140 | 159,680 | | |
| 36 | 914,000 | 7,920 | 176,970 | | 10 |
| 36 | 914,000 | 8,740 | 195,120 | | |
| 36 | 914,000 | 9,530 | 212,570 | STD | |
| 36 | 914,000 | 10,310 | 229,770 | | |
| 36 | 914,000 | 11,130 | 247,820 | | |
| 36 | 914,000 | 11,910 | 264,960 | | |
| 36 | 914,000 | 12,700 | 282,290 | XS | 20 |
| 36 | 914,000 | 14,270 | 316,630 | | |
| 36 | 914,000 | 15,880 | 351,730 | | 30 |
| 36 | 914,000 | 17,480 | 386,470 | | |
| 36 | 914,000 | 19,050 | 420,450 | | 40 |
| 36 | 914,000 | 20,620 | 454,300 | | |
| 36 | 914,000 | 22,230 | 488,890 | | |
| 36 | 914,000 | 23,830 | 523,140 | | |
| 36 | 914,000 | 25,400 | 556,620 | | |
| 36 | 914,000 | 26,970 | 589,980 | | |
| 36 | 914,000 | 28,580 | 624,070 | | |
| 36 | 914,000 | 30,180 | 657,810 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 36 | 914,000 | 31,750 | 690,800 | | |
| 38 | 965,000 | 7,920 | 186,940 | | |
| 38 | 965,000 | 8,740 | 206,110 | | |
| 38 | 965,000 | 9,530 | 224,560 | STD | |
| 38 | 965,000 | 10,310 | 242,740 | | |
| 38 | 965,000 | 11,130 | 261,820 | | |
| 38 | 965,000 | 11,910 | 279,940 | | |
| 38 | 965,000 | 12,700 | 298,260 | XS | |
| 38 | 965,000 | 14,270 | 334,580 | | |
| 38 | 965,000 | 15,880 | 371,700 | | |
| 38 | 965,000 | 17,480 | 408,460 | | |
| 38 | 965,000 | 19,050 | 444,410 | | |
| 38 | 965,000 | 20,620 | 480,240 | | |
| 38 | 965,000 | 22,230 | 516,850 | | |
| 38 | 965,000 | 23,830 | 553,110 | | |
| 38 | 965,000 | 25,400 | 588,570 | | |
| 38 | 965,000 | 26,970 | 623,900 | | |
| 38 | 965,000 | 28,580 | 660,010 | | |
| 38 | 965,000 | 30,180 | 695,770 | | |
| 38 | 965,000 | 31,750 | 730,740 | | |
| 40 | 1016,000 | 7,920 | 196,900 | | |
| 40 | 1016,000 | 8,740 | 217,110 | | |
| 40 | 1016,000 | 9,530 | 236,540 | STD | |
| 40 | 1016,000 | 10,310 | 255,710 | | |
| 40 | 1016,000 | 11,130 | 275,820 | | |
| 40 | 1016,000 | 11,910 | 294,920 | | |
| 40 | 1016,000 | 12,700 | 314,230 | XS | |
| 40 | 1016,000 | 14,270 | 352,530 | | |
| 40 | 1016,000 | 15,880 | 391,670 | | |
| 40 | 1016,000 | 17,480 | 430,450 | | |
| 40 | 1016,000 | 19,050 | 468,370 | | |
| 40 | 1016,000 | 20,620 | 506,170 | | |
| 40 | 1016,000 | 22,230 | 544,810 | | |
| 40 | 1016,000 | 23,830 | 583,080 | | |
| 40 | 1016,000 | 25,400 | 620,510 | | |
| 40 | 1016,000 | 26,970 | 657,820 | | |
| 40 | 1016,000 | 28,580 | 695,960 | | |
| 40 | 1016,000 | 30,180 | 733,730 | | |
| 40 | 1016,000 | 31,750 | 770,670 | | |
| 42 | 1067,000 | 8,740 | 228,100 | | |
| 42 | 1067,000 | 9,530 | 248,530 | STD | |
| 42 | 1067,000 | 10,310 | 268,670 | | |
| 42 | 1067,000 | 11,130 | 289,820 | | |
| 42 | 1067,000 | 11,910 | 309,900 | | |
| 42 | 1067,000 | 12,700 | 330,210 | XS | |
| 42 | 1067,000 | 14,270 | 370,480 | | |
| 42 | 1067,000 | 15,880 | 411,640 | | |
| 42 | 1067,000 | 17,480 | 452,430 | | |
| 42 | 1067,000 | 19,050 | 492,330 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 42 | 1067,000 | 20,620 | 532,110 | | |
| 42 | 1067,000 | 22,230 | 572,770 | | |
| 42 | 1067,000 | 23,830 | 613,050 | | |
| 42 | 1067,000 | 25,400 | 652,460 | | |
| 42 | 1067,000 | 26,970 | 691,750 | | |
| 42 | 1067,000 | 28,580 | 731,910 | | |
| 42 | 1067,000 | 30,180 | 771,690 | | |
| 42 | 1067,000 | 31,750 | 810,600 | | |
| 44 | 1118,000 | 8,740 | 239,090 | | |
| 44 | 1118,000 | 9,530 | 260,520 | STD | |
| 44 | 1118,000 | 10,310 | 281,640 | | |
| 44 | 1118,000 | 11,130 | 303,820 | | |
| 44 | 1118,000 | 11,910 | 324,880 | | |
| 44 | 1118,000 | 12,700 | 346,180 | XS | |
| 44 | 1118,000 | 14,270 | 388,420 | | |
| 44 | 1118,000 | 15,880 | 431,620 | | |
| 44 | 1118,000 | 17,480 | 474,420 | | |
| 44 | 1118,000 | 19,050 | 516,290 | | |
| 44 | 1118,000 | 20,620 | 558,040 | | |
| 44 | 1118,000 | 22,230 | 600,730 | | |
| 44 | 1118,000 | 23,830 | 643,030 | | |
| 44 | 1118,000 | 25,400 | 684,410 | | |
| 44 | 1118,000 | 26,970 | 725,670 | | |
| 44 | 1118,000 | 28,580 | 767,850 | | |
| 44 | 1118,000 | 30,180 | 809,650 | | |
| 44 | 1118,000 | 31,750 | 850,540 | | |
| 46 | 1168,000 | 8,740 | 249,870 | | |
| 46 | 1168,000 | 9,530 | 272,270 | STD | |
| 46 | 1168,000 | 10,310 | 294,350 | | |
| 46 | 1168,000 | 11,130 | 317,540 | | |
| 46 | 1168,000 | 11,910 | 339,560 | | |
| 46 | 1168,000 | 12,700 | 361,840 | XS | |
| 46 | 1168,000 | 14,270 | 406,020 | | |
| 46 | 1168,000 | 15,880 | 451,200 | | |
| 46 | 1168,000 | 17,480 | 495,970 | | |
| 46 | 1168,000 | 19,050 | 539,780 | | |
| 46 | 1168,000 | 20,620 | 583,470 | | |
| 46 | 1168,000 | 22,230 | 628,140 | | |
| 46 | 1168,000 | 23,830 | 672,410 | | |
| 46 | 1168,000 | 25,400 | 715,730 | | |
| 46 | 1168,000 | 26,970 | 758,920 | | |
| 46 | 1168,000 | 28,580 | 803,090 | | |
| 46 | 1168,000 | 30,180 | 846,860 | | |
| 46 | 1168,000 | 31,750 | 889,690 | | |
| 48 | 1219,000 | 8,740 | 260,860 | | |
| 48 | 1219,000 | 9,530 | 284,250 | STD | |
| 48 | 1219,000 | 10,310 | 307,320 | | |
| 48 | 1219,000 | 11,130 | 331,540 | | |
| 48 | 1219,000 | 11,910 | 354,540 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 48 | 1219,000 | 12,700 | 377,810 | XS | |
| 48 | 1219,000 | 14,270 | 423,970 | | |
| 48 | 1219,000 | 15,880 | 471,170 | | |
| 48 | 1219,000 | 17,480 | 517,950 | | |
| 48 | 1219,000 | 19,050 | 563,740 | | |
| 48 | 1219,000 | 20,620 | 609,400 | | |
| 48 | 1219,000 | 22,230 | 656,100 | | |
| 48 | 1219,000 | 23,830 | 702,380 | | |
| 48 | 1219,000 | 25,400 | 747,670 | | |
| 48 | 1219,000 | 26,970 | 792,840 | | |
| 48 | 1219,000 | 28,580 | 839,040 | | |
| 48 | 1219,000 | 30,180 | 884,820 | | |
| 48 | 1219,000 | 31,750 | 929,620 | | |
| 52 | 1321,000 | 9,530 | 308,230 | | |
| 52 | 1321,000 | 10,310 | 333,260 | | |
| 52 | 1321,000 | 11,130 | 359,540 | | |
| 52 | 1321,000 | 11,910 | 384,500 | | |
| 52 | 1321,000 | 12,700 | 409,760 | | |
| 52 | 1321,000 | 14,270 | 459,860 | | |
| 52 | 1321,000 | 15,880 | 511,120 | | |
| 52 | 1321,000 | 17,480 | 561,930 | | |
| 52 | 1321,000 | 19,050 | 611,660 | | |
| 52 | 1321,000 | 20,620 | 661,270 | | |
| 52 | 1321,000 | 22,230 | 712,020 | | |
| 52 | 1321,000 | 23,830 | 762,330 | | |
| 52 | 1321,000 | 25,400 | 811,570 | | |
| 52 | 1321,000 | 26,970 | 860,690 | | |
| 52 | 1321,000 | 28,580 | 910,932 | | |
| 52 | 1321,000 | 30,180 | 960,740 | | |
| 52 | 1321,000 | 31,780 | 1009,490 | | |
| 56 | 1422,000 | 9,530 | 331,960 | | |
| 56 | 1422,000 | 10,310 | 358,940 | | |
| 56 | 1422,000 | 11,130 | 387,260 | | |
| 56 | 1422,000 | 11,910 | 414,170 | | |
| 56 | 1422,000 | 12,700 | 441,390 | | |
| 56 | 1422,000 | 14,270 | 495,410 | | |
| 56 | 1422,000 | 15,988 | 550,670 | | |
| 56 | 1422,000 | 17,480 | 605,460 | | |
| 56 | 1422,000 | 19,050 | 659,110 | | |
| 56 | 1422,000 | 20,620 | 712,630 | | |
| 56 | 1422,000 | 22,230 | 767,390 | | |
| 56 | 1422,000 | 23,830 | 821,680 | | |
| 56 | 1422,000 | 25,400 | 874,830 | | |
| 56 | 1422,000 | 26,970 | 927,860 | | |
| 56 | 1422,000 | 28,580 | 982,120 | | |
| 56 | 1422,000 | 30,180 | 1035,910 | | |
| 56 | 1422,000 | 31,750 | 1088,570 | | |
| 60 | 1524,000 | 9,530 | 355,940 | | |
| 60 | 1524,000 | 10,310 | 384,870 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 60 | 1524,000 | 11,130 | 415,260 | | |
| 60 | 1524,000 | 11,910 | 444,130 | | |
| 60 | 1524,000 | 12,700 | 473,340 | | |
| 60 | 1524,000 | 14,270 | 531,300 | | |
| 60 | 1524,000 | 15,880 | 590,620 | | |
| 60 | 1524,000 | 17,480 | 649,440 | | |
| 60 | 1524,000 | 19,050 | 707,030 | | |
| 60 | 1524,000 | 20,620 | 764,500 | | |
| 60 | 1524,000 | 22,230 | 823,310 | | |
| 60 | 1524,000 | 23,830 | 881,630 | | |
| 60 | 1524,000 | 25,400 | 938,730 | | |
| 60 | 1524,000 | 26,970 | 995,710 | | |
| 60 | 1524,000 | 28,580 | 1054,010 | | |
| 60 | 1524,000 | 30,180 | 1111,830 | | |
| 60 | 1524,000 | 31,750 | 1168,440 | | |
| 64 | 1626,000 | 9,530 | 379,910 | | |
| 64 | 1626,000 | 10,310 | 410,810 | | |
| 64 | 1626,000 | 11,130 | 443,250 | | |
| 64 | 1626,000 | 11,910 | 474,090 | | |
| 64 | 1626,000 | 12,700 | 505,290 | | |
| 64 | 1626,000 | 14,270 | 567,200 | | |
| 64 | 1626,000 | 15,880 | 630,560 | | |
| 64 | 1626,000 | 17,480 | 693,410 | | |
| 64 | 1626,000 | 19,050 | 754,950 | | |
| 64 | 1626,000 | 20,620 | 816,370 | | |
| 64 | 1626,000 | 22,230 | 879,230 | | |
| 64 | 1626,000 | 23,830 | 941,570 | | |
| 64 | 1626,000 | 25,400 | 1002,620 | | |
| 64 | 1626,000 | 26,970 | 1063,550 | | |
| 64 | 1626,000 | 28,580 | 1125,900 | | |
| 64 | 1626,000 | 30,180 | 1187,740 | - | |
| 64 | 1626,000 | 31,750 | 1248,300 | | |
| 68 | 1727,000 | 11,910 | 503,750 | | |
| 68 | 1727,000 | 12,700 | 536,920 | | |
| 68 | 1727,000 | 14,270 | 602,740 | | |
| 68 | 1727,000 | 15,880 | 670,120 | | |
| 68 | 1727,000 | 17,480 | 736,950 | | |
| 68 | 1727,000 | 19,050 | 802,400 | | |
| 68 | 1727,000 | 20,620 | 867,730 | | |
| 68 | 1727,000 | 22,230 | 934,600 | | |
| 68 | 1727,000 | 23,830 | 1000,920 | | |
| 68 | 1727,000 | 25,400 | 1065,890 | | |
| 68 | 1727,000 | 26,970 | 1130,730 | | |
| 68 | 1727,000 | 28,580 | 1197,090 | | |
| 68 | 1727,000 | 30,180 | 1262,920 | | |
| 68 | 1727,000 | 31,750 | 1327,390 | | |
| 72 | 1829,000 | 12,700 | 568,870 | | |
| 72 | 1829,000 | 14,270 | 638,640 | | |
| 72 | 1829,000 | 15,880 | 710,060 | | |

| NPS | Diametro esterno (mm) | Spessore (mm) | Massa (kg/m) | Identificazione (Standard STD) (Extra Strong XS) (Double extra Strong XXS) | Schedula N° |
|-----|-----------------------|---------------|--------------|--|-------------|
| 72 | 1829,000 | 17,480 | 780,920 | | |
| 72 | 1829,000 | 19,050 | 850,320 | | |
| 72 | 1829,000 | 20,620 | 919,600 | | |
| 72 | 1829,000 | 22,230 | 990,520 | | |
| 72 | 1829,000 | 23,830 | 1060,870 | | |
| 72 | 1829,000 | 25,400 | 1129,780 | | |
| 72 | 1829,000 | 26,970 | 1198,570 | | |
| 72 | 1829,000 | 28,580 | 1268,980 | | |
| 72 | 1829,000 | 30,180 | 1338,830 | | |
| 72 | 1829,000 | 31,750 | 1407,250 | | |
| 76 | 1930,000 | 12,700 | 600,500 | | |
| 76 | 1930,000 | 14,270 | 674,180 | | |
| 76 | 1930,000 | 15,880 | 749,620 | | |
| 76 | 1930,000 | 17,480 | 824,450 | | |
| 76 | 1930,000 | 19,050 | 897,770 | | |
| 76 | 1930,000 | 20,620 | 970,960 | | |
| 76 | 1930,000 | 22,230 | 1045,890 | | |
| 76 | 1930,000 | 23,830 | 1120,220 | | |
| 76 | 1930,000 | 25,400 | 1193,050 | | |
| 76 | 1930,000 | 26,970 | 1265,740 | | |
| 76 | 1930,000 | 28,580 | 1340,170 | | |
| 76 | 1930,000 | 30,180 | 1414,010 | | |
| 76 | 1930,000 | 31,750 | 1486,330 | | |
| 80 | 2032,000 | 14,270 | 710,080 | | |
| 80 | 2032,000 | 15,880 | 789,560 | | |
| 80 | 2032,000 | 17,480 | 868,430 | | |
| 80 | 2032,000 | 19,050 | 945,690 | | |
| 80 | 2032,000 | 20,620 | 1022,830 | | |
| 80 | 2032,000 | 22,230 | 1101,810 | | |
| 80 | 2032,000 | 23,830 | 1180,170 | | |
| 80 | 2032,000 | 25,400 | 1256,940 | | |
| 80 | 2032,000 | 26,970 | 1333,590 | | |
| 80 | 2032,000 | 28,580 | 1412,060 | | |
| 80 | 2032,000 | 30,180 | 1489,920 | | |
| 80 | 2032,000 | 31,750 | 1566,200 | | |